



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/769,294

01/26/2001

Ronald Fredrik Michael Johnson

38748.010800

4829

22191

7590

03/31/2005

GREENBERG-TRAURIG

1750 TYSONS BOULEVARD, 12TH FLOOR

MCLEAN, VA 22102

EXAMINER

FISCHER, ANDREW J

ART UNIT

PAPER NUMBER

3627

DATE MAILED: 03/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

09/769,294

EXAMINER

ART UNIT	PAPER
----------	-------

09222005

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

In response to an interview between Supervisory Patent Examiner Robert Olszewski and Applicant's representative, the Examiner hereby withdraws his statement referring to 37 C.F.R. §1.56 in paragraph No. 55, second sentence, in the final office action mailed January 6, 2005 ("First Final Office Action").

This action does not change Applicant's response time. A shortened statutory period for reply to the First Final Office Action is set to expire three months from the mailing date of the First Final Office Action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of the First Final Office Action.

Andrew J. Fischer 3/23/05

Andrew J. Fischer
Primary Examiner
Art Unit: 3627